


INTERIOR DOORS

2017 COLLECTION





Open to extraordinary...

Masonite is committed to delivering unsurpassed performance in interior doors. We want to provide not just a door, but a total experience, giving you a complete line of products, services and support tools designed around your success.

We are your leading source for the latest trend insights and design ideas, delivering distinctive door styles that complement any home and personal taste. From the crisp, clean lines of our Heritage series to the high-end elegance of our raised panel collection, we offer the breadth of interior doors to meet any material, performance and design need, so you always have the right answer for your customers.

Every product we offer is the result of years of research, design, engineering, and development that begins at the Masonite Innovation Center in suburban Chicago,





Open to extraordinary...

the largest facility of its kind in the industry. It is this dedication to a fully integrated design process that sets us apart from the competition and ensures every product we deliver lives up to our exacting standards for quality, consistency and craftsmanship.

YOUR TRUSTED PARTNER

Masonite is not just a trusted leader in interior doors; we are a powerful partner who helps you elevate the role a door plays in your projects—creating more inspiring customer experiences and stronger business results.

terior Door Collections 2
Safe 'N Sound4
Barn Doors6
Masonite Expo _™
Masonite Select _™ 16
Masonite Classics _™ 20
6P Prefinished 24
Commercial 25
Flush Series26
Eco-Friendly Doors 27
Design and Size Options28

Interior Door Collections

AT A GLANCE



HERITAGE SERIES,



Lincoln Park-Logan-Winslow-

WEST END COLLECTION.



Berkley.
Hamel.
Melrose.

PALAZZO SERIES.



Bellagio. Capri.

 Celebrate traditional craftsmanship with clean lines that blend seamlessly into their surroundings.

- Embrace the beauty of minimalism with the sophisticated, streamlined look of embossed lines.
- Embody fine architecture with patented raised molding that brings a new depth of detail.

Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles – all crafted with exacting attention to detail.



 Create a look that compliments the style of any home. Add a defining element to any space with familiar designs that offer timeless appeal.

SAFE 'N SOUND.

SOLID CORE DOORS



No Need To Sacrifice Style For Quality

Homeowners today are looking to create a peaceful retreat that is a reflection of their personal style. Making the move to solid core doors is a simple, cost-effective way to help them achieve their vision.

MAKING SOLID CORE STANDARD

We're on a mission to put solid core doors in every home - a difference that is clear the moment you open the door. The more substantial feel of solid core creates a dramatic improvement in overall perceived quality at a minimal price increase over their hollow core counterparts.





THE ADVANTAGE GOES BEYOND THE FEEL

Our doors are better able to withstand the dents and dings associated with normal wear and tear. They also block sound more effectively, making them a must-have for master bedrooms, laundry rooms, media rooms, bathrooms, home offices – any space where privacy is key. Our entire interior door offering is available in a solid core option.

SUBSTANTIAL FEEL

SOUND REDUCING

DURABLE

Barn Doors



HARDWARE



Straight Strap Matte Black



Bent Strap Matte Black



Top Of Door Strap Stainless Steel


Finish Options







Matte Black



- Barn door options from Masonite deliver trend-forward design solutions that are both stylish and functional.
 Choose from three, easy-to-install track options to create flexible interior spaces packed with character.
- ▶ Barn Door available in Safe 'N Sound_® only. See page 4 for details.

TRENDY

INNOVATIVE

FUNCTIONAL





Heritage Series $_{\scriptscriptstyle TM}$ Lincoln Park $_{\scriptscriptstyle TM}$ / Logan $_{\scriptscriptstyle TM}$

ARTISTIC

CONTEMPORARY


SLEEK



HERITAGE SERIES...

AUTHENTIC ARCHITECTURAL DETAIL







- ▶ Classic Shaker style meets modern engineering in this versatile collection.
- ▶ 10+" bottom rail satisfies ADA requirements
- ▶ Available in Safe 'N Sound®, see page 4 for details.



^{*}Berkley, and Hamel, double door application can only be configured as shown above.

 $[\]ensuremath{^{**}}\ensuremath{\text{Not}}$ for use with double doors or 4 door bifold door applications.

WEST END COLLECTION.







- ▶ Embossed lines add a modern edge to any space.
- ▶ Available in Safe 'N Sound_®, see page 4 for details.



PALAZZO SERIES.







- ▶ Patented raised panels create a more refined aesthetic appeal.
- ▶ Distinguished molding adds depth and detail.







DIVERSE



Molded Panel Doors







- ▶ Feature lines define authentic architectural details.
- ▶ Available in Safe 'N Sound®, see page 4 for details.





Molded Panel Series 22 6P Prefinished 24 Commercial Doors 25 Flush Series 26

TIMELESS



Molded Panel Series








- ▶ Molded panel engineering delivers timeless designs that resist warping, shrinking and cracking.
- ► Available in Safe 'N Sound®, see page 4 for details.

6P Prefinished

- ▶ Durable topcoat ensures a long-lasting finish.
- ▶ Resists warping, shrinking and cracking better than solid wood doors.
- ▶ Available in textured finished with matching bifolds



Commercial Doors

HEAVY DUTY. DURABLE. LOW MAINTENANCE

- ► Taller bottom rails & wider stiles for compatibility with commercial hardware.
- Satisfies ADA requirements




Flush Series

DURABLE. LOW MAINTENANCE

A simple, flush design provides a clean, contemporary look.



Eco-Friendly Engineered Doors EMERALD "GREEN" DOORS



Leed V4 Assessment For "G	reen Association & Certific	ation Cross Re	ference"								
LEED V3 CREDIT	LEED V4 CREDIT	SAFE &	SOUND EMERALD	HOLLO	W CORE EMERALD						
		Molded Panel	Flush Primed Hardboard	Molded Panel	Flush Primed Hardboard						
	Home										
MR 2.1 Certified Wood MR 2.2 Recycled Content	Environmentally preferable products	•	•	•	•						
	Low-emitting products	•		•	•						
	New Construction	New Construction									
MR 4.1 & MR 4.2 Recycled Content MR 6.0 Rapidly Renewable MR 7.0 Certified Wood	Building product disclosure and optimization - sourcing of raw materials	•	•	•	•						
IEQ 4.4 NAUF	Low-emitting materials	•	•	•	•						
	Acoustic performance	•	•								

TECHNICAL & SUPPORT INFORMATION ON GREEN.

- ▶ This product contributes to satisfying the credits of the U.S. Green Building Council's LEED* Green Building Rating System**. For current applicable LEED* standards, visit www.usgbc.org.
- Evaluations of the Green Certifications are provided as a courtesy for Masonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- ▶ USGBC and LEED are registered trademarks of the U.S. Green Building Council.

Note: Not all designs are available in Emerald offering, contact Masonite for the complete product offering.

The above referenced certifications are based on the following versions: LEED NC - 3.0 / LEED H - 2008 / LEED V4-2015.

For technical specification information, visit www.masonite.com or contact us at 800-663-DOOR (3667).

Design & Size Options

				PASSAGE											ВΙ	FOL	DS							
		PALAZZO SERIES.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		BELLAGIO. (2 ARCHED PANELS)																						
		Smooth 80"	•	٠	٠	٠	٠	•	•	٠	•	•	٠	٠	٠		•		٠		٠	•*	•*	•*
		Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		٠		•		•	• *	•*	•*
		Smooth 96"	•	٠	٠	•	•	•	•	٠	•	•	٠	٠	•		•		•		•	•*	•*	•*
		CAPRI. (2 SQUARE PANELS)																						
		Smooth 80"	•	•	•	•	•	٠	•	•	٠	٠	•	•	•		•		•		•	•*	•*	•*
		Smooth 84"	•	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠		٠		٠		•	•*	•*	•*
		Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•*	•*	•*
														*Th	nese F	Palaz	zo b	ifold	s are	ship	pec	l as t	wo t	units.
								PA	SSA	GE									ВІІ	FOLD	S			
		WEST END COLLECTION.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		BERKLEY.																						
		Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	٠	•	•	•	•		•		•		•			
		Smooth 84"	•*	•*	•*	•*	•*	•*	•	•				•	•				•		•			
ě	H	HAMEL⊪																						
XPC		Smooth 80"							•	•	•	•	•	•	•		•		•		•			
MASONITE EXPO.		Smooth 84"							•	•	•	•	•	•	•		•		•		•			
O		MELROSE.**																						
1AS		Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•			
2		Smooth 84"	•*	•*	•*	•*	•*	•*																
		HERITAGE SERIES.	12"	14"	15"	16"	18"	20"	SSA 24"	GE 26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	FOLI 32"	36"	48"	60"	72"
		LINCOLN PARK, (1 PANEL)	12	14	17	10	10	20	24	20	20	30	JL	,,,	50	10	24	20	30	JL	JU	40	00	12
	Comme	Smooth 80"	•			•		•	•		•				•		•				•	•	•	•
		- 10" Bottom Rail Smooth 84"																						
		Smooth 96"																						•
		LOGAN _™ (2 PANELS)																						
		Commercial Smooth 80"		•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
		10" Bottom Rail Smooth 84"	•												•		•				•	•	•	•
		Smooth 96"						•			•				•		•		•		•			•
		WINSLOW _{IM} (3 PANELS)																						
		Commercial Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
		Rail Smooth 84"			•	•	•	•		•	•		•				•		•		•	•	•	•
								D.A	CC.	CE									. D.W	-01-) C			
			12"	14"	15"	16"	18"	20"	SSA 24"	GE 26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	=OLD 32"	36"	48"	60"	72"
		CHEYENNE.	""	17	.,	10	10	20	-4	20	20	50	32	J4	30	10	4-1	20	50	,,	50	70	00	12
		Smooth 80"																						
MASONITE SELECT.,		Smooth 96"	·	٠	٠	•	•	•	•	٠	٠	•	•	•	•		•	•	•	•	•	٠	•	•
끏		RIVERSIDE																						
ы		Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
F		Smooth 84"	•	٠	•	٠	•	٠	•	•	٠	•	•	•	•	٠	٠	٠	٠	•	•	•	•	•
SO		6-Panels Smooth 96"	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠	٠
Σ		SADDLEBROOK.																						
		Smooth 80"	•	•	•	•	•	٠	•	٠	٠	٠	•	•	•	٠	٠	٠	•	•	•	•	•	•
		Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



				PASSAGE												BIFOLDS											
		MOLDED P	ANEL SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		2 PANE	EL ARCH-TOP																								
			Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	٠	•			•	•	•	•	•	•	•	•	•
	Ш		Textured 80"	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	٠	٠			٠	٠	•	٠	٠	•	٠	٠	٠
			Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	٠	•			•	•	•	•	•	•	•	•	•
			Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
		2 PANEL ROM	MAN SMOOTH																								
			Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	٠	•	•	•	•
			Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	٠	•			•	•	•	•	•	•	•	•	•
			Smooth 96"					•		•			•	•		•								•			
			2 PANEL																								
			Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•		•	•		•	•
			Smooth 84"																								
	Ш		Smooth 96"																								
			3 PANEL									_															
			Textured 80"																								
Ś																											
SMASONITE CLASSICS			4 PANEL																								
Š			Smooth 80"																								
О			Smooth 84"	•																	•						
불			Smooth 96"																								
SOI			6 PANEL																								
Ψ			Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
S			Textured 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•
			Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
			Textured 84"	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•			٠	•	٠	٠	٠	•	٠	٠	•
			Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	٠	٠	•	•	•	•
			Textured 96"	٠	٠	٠	٠	•*	٠	٠	٠	٠	٠	٠	٠	•			٠	٠	•	٠	٠	•	٠	٠	٠
		Prefinished 8		٠	٠	٠	٠	•	٠	•	٠	٠	•	٠	٠	٠				٠	٠	٠	٠	•	٠	٠	٠
		6 PANEL C	COMMERCIAL																								
		Commercial	Smooth 80"										•	•	•	•	•										
		10" Bottom Rail	Smooth 84"																								
		2 PANEL ROM		CC	MMI	-DC	LAL																				
				-60	AMINI	-1.00	7-15																				
		Commercial 10" Bottom	Smooth 80"										•			•											
		Rail	Smooth 84"										•	•		•											
		2 PANEL C	COMMERCIAL																								
		Commercial 10" Bottom	Smooth 80"										•	•	•	•											
		Rail	Smooth 84"										•	•													
										SSA											$\overline{}$	DLD:	_				
		_	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28'	30	" 3	2" 3	6"	48"	60"	72"		
		s																									
		D d																									
		a R					·	Ť									·										
		Oak, I																									

^{*}Thinner outer style will not affect functionality. Double doors and bifolds are not recommended. Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines.

Note: 48", 60" & 72" bifolds are achieved by doubled 24", 30" & 36" bifolds.

Molded Panel Series Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. *Molded Panel actually measures 1'7-13/16".

^{**}Not for use with double doors or 4 door bifold door applications.





1-800-663-DOOR 9am to 5pm / Monday through Friday, EST masonite.com



In just a few clicks, browse thousands of door styles and glass options to create your dream door.