



**YOUR
LOGO
HERE**

Private labeled Madero
Moulded & Flush Panel
brochures are available for
purchase or through
media funds.

INTERIOR DOORS

MOULDED & FLUSH PANEL 2018-2019



Painted Cheyenne Moulded Panel Door with Schlage Latitude Lever in Satin Nickel
On the Cover: Painted 3-Panel Mission Shaker Panel Door

INTERIOR DOOR



COLLECTIONS



INTERIOR DOORS

Moulded and Flush Panel 2018 - 2019

Madero's interior door collections feature the latest designs and timeless classics, providing a range of style, material, and budget options to suit your specific needs. From renovations to new home construction, these doors will provide exceptional value and style for your home.

Interior doors are readily available in 6'8", 7'0", 8'0", or custom door slab heights, and standard widths. Hardware, frame and mounting options are available to ensure that your interior doors will complement the decor in every room.

Contents

Moulded Panel	8-15
Expo	8-11
<i>Heritage® Series</i>	8-9
<i>West End Collection®</i>	10-11
Classics™	12-13
Select™	14-15
French Doors	16-17
Flush Panel	18-21
Barn Track Hardware	22-23
Hinge Options	24
Wood Frame Options	25
Fire Rated Frame Options	26-27

Madero also offers a full range of stile & rail and French door options.
For details, visit us at:

www.madero.ca



Painted 3-Panel Winslow Panel Door



MADERO. DOORS FOR LIFE.

Modern, contemporary, colonial, or eclectic, Madero has a deep respect for the subtleties of timeless design, but it doesn't end there. Partnering with innovative manufacturers and offering industry-leading warranties, Madero's selection of doors stand the test of time.

Take a look, and see what you find. For more, visit us online at www.madero.ca.

MOULDED PANEL

Madero is proud to partner with Masonite® to provide moulded panel doors that have been transforming interiors for over 80 years. Together we are relentlessly committed to delivering product, service and design innovations which will enhance the beauty and functionality of your home.

Quality Is Our Standard


Moulded panel doors from Masonite are more durable and resist warping, shrinking and cracking. These beautifully engineered doors are available in a smooth or textured woodgrain finish, with matching bifolds to suit any decor. They come in a wide range of widths and heights and are primed for easy finishing. By-product wood chips and timber from sustainably managed forests are used at Masonite facilities, with a commitment to environmental excellence in every step of the door manufacturing process.



MASONITE.



Painted Riverside 6-Panel Equal (8/0) Door with Schlage Accent Lever in Satin Nickel



Hollow Core

- Perfect solution for budget-minded customers.
- 1-3/8" or 1-3/4" thickness available; primed white and ready to paint.
- Contains pre-consumer recycled content, resource efficient materials and a honeycomb core.



hollow core

Safe 'N Sound® Solid Core

- For reduced sound transmission; ideal for bathrooms and bedrooms where privacy and safety are a concern.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- 20 minute fire rating available in 1-3/4" thickness only.
- Offers heft and feel of solid wood; primed white and ready to paint.
- Manufactured with DorCor™, a low density fiberboard made from wheat straw (annually renewable, agricultural, wheat by-product).



safe.sound
SOLID CORE MOULDED PANEL DOORS

Safe 'N Sound® Emerald™ Solid Core

- Ideal product for allergen-sensitive customers requiring optimal air quality.
- 1-3/8" and 1-3/4" thickness available in most moulded panel designs and sizes.
- 20 minute fire rating available in 1-3/4" thickness only.
- Offers heft and feel of solid wood; primed white and ready to paint.
- Forest Stewardship Council (FSC) certified wood, containing environmentally preferred products: low emissions adhesives and sealants, extremely low VOC emissions, and no added urea-formaldehyde (NAUF).




safe.sound
EMERALD™ SOLID CORE MOULDED PANEL DOORS



Painted Lincoln Park 1-Panel Equal Door

HERITAGE SERIES DESIGNS



Winslow 3-Panel



Moulded Shaker Panel Slab

Door	Paintable moulded panel; smooth primed surface
Core	Hollow core 1-3/8" or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	24" (2/0), 30" (2/6), 36" (3/0)
Fire Rated	20 minute (1-3/4" only)
Optional	Safe 'N Sound® Emerald™ solid core (1-3/8" only)
Warranty	1 year limited

Masonite's Heritage® Series features stile and rail inspired designs with clean, simple lines that will provide a distinctive look for any interior decor. For increased privacy and sound reduction, choose the solid core option.



Shaker Style Detail



Lincoln Park
LINC
1-Panel Equal




Winslow
WINS
3-Panel: 1 Square Panel
with 2 Vertical Panels
(Not available in 96" height)



Logan
LOGAN
2-Panel

WEST END COLLECTION




*Berkley 6-Panel Equal with
1 Vertical Panel*




Moulded Grooved Panel Slab

Door	Paintable moulded panel; smooth primed surface
Core	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	24" (2/0), 30" (2/6), 36" (3/0)
Fire Rated	20 minute (1-3/4" only)
Optional	Safe 'N Sound® Emerald™ solid core
Warranty	1 year limited

Masonite's West End™ Collection features metropolitan inspired designs with bold, graphic lines for eye-catching profiles. These clean, simple styles will complement any contemporary interior decor. For increased privacy and sound reduction, choose the solid core option. West End doors are very affordable, giving you the most value for a modern look.



Berkley
BER
6-Panel Equal with
1 Vertical Panel



Melrose
MEL
6-Panel Equal
*(Not recommended
for double doors)*





Painted Berkley 6-Panel Equal with 1 Vertical Panel

CLASSICS MOULDED PANEL



Roman



Moulded Raised Panel Slab

Door	Paintable moulded panel; textured woodgrain or smooth primed surface
Core	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	24" (2/0), 30" (2/6), 36" (3/0)
Fire Rated	20, 45, 60 minute on select designs and sizes
Optional	Safe 'N Sound® Emerald™ solid core
Warranty	1 year limited

The Masonite Classics™ Moulded Panel Series is the industry benchmark for all moulded wood doors and features five popular door designs.



Carrara
CARR • 2PSM
Smooth only:
6/8, 7/0, 8/0



Classique
CLASS • 2ARTX
Textured: 80"
height only
Smooth:
6/8, 7/0, 8/0



Colonist
COL • 6PTX/SM
Smooth or Textured:
6/8, 7/0, 8/0



Coventry
COV • 4PSM
Smooth only:
6/8, 7/0, 8/0



Roman
ROM • 2ROMNSM
Smooth only:
6/8, 7/0, 8/0
(96" height not
available in bifold)



Painted Carrara 2-Panel Smooth Door with Schlage Latitude Lever in Satin Chrome



Painted Cheyenne 2-Panel Camber Top Plank

SELECT MOULDED PANEL



Riverside 6-Panel Equal (8/0)



Moulded Classic Panel Slab

Door	Paintable moulded panel; smooth primed surface
Core	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"; bifold 1-3/8" only
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0)
Bifold	24" (2/0), 30" (2/6), 36" (3/0)
Fire Rated	20 minute (1-3/4" only)
Optional	Safe 'N Sound® Emerald™ solid core
Warranty	1 year limited

The SELECT™ Collection is a special edition of the Moulded Panel Series, honouring more than 80 years of Masonite's heritage of innovation. These classic designs with a smooth, primed surface offer the ultimate in wood door authenticity.



Cheyenne
CHEY

2-Panel Camber Top Plank;
80" or 96" height only



Riverside
RIV

5-Panel Equal (80", 84");
6-Panel Equal (96")

FRENCH DOOR

MIX & MATCH PROGRAM



*Unfinished Maple I-Lite
with Frosted Glass*


*Primed Engineered Wood
I-Lite with Frosted Glass*

Handcrafted wood or primed engineered wood stile and rail designs can be mixed and matched with contemporary glass textures, creating combinations to complement your interior style.

Wood Veneer or Primed Engineered Rim

Door	Primed engineered wood or Maple hardwood veneer
Profile	Raised Panel Ovolo Sticking (A)
Thickness	1-3/8"
Height	80" (6/8)
Passage	24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 36" (3/0)
Warranty	1 year limited

Sticking Profile



Raised Panel Single Hip (A)

Glass Options



White Laminated
1/4" Dual Pane



Clear Tempered



Narrow Reed 1/8"



Custom order French door options available. For additional selection, see the Interior Doors section at madero.ca.



Painted Primed Engineered Wood I-Lite Door with Clear Glass

FLUSH PANEL



Uniform Light Birch Flush
Panel Door

Flush panel doors provide a modern architectural look with natural beauty for smaller budget renovations. Choose from hardboard, natural wood veneer or prefinished panels.

Slab


Door	Hardboard or wood veneer with high-quality wood conditioner; or factory prefinished with high-quality topcoat
Core	Hollow core or solid core (refer to page 7); solid core recommended for bedrooms and bathrooms
Thickness	1-3/8" or 1-3/4"
Height	80" (6/8), 84" (7/0), 96" (8/0)
Passage	18" (1/6), 24" (2/0), 28" (2/4), 30" (2/6), 32" (2/8), 34" (2/10), 36" (3/0), 42" (3/6), 48" (4/0)
Bifold	18" (1/6), 24" (2/0), 30" (2/6), 36" (3/0)
Fire Rating	20, 45, 60, and 90 minute (1-3/4" thickness only)
Optional	Matching wood species, all sides; prefinishing <i>Custom sizes available</i>
Warranty	Residential grade - 1 year limited; Commercial grade - 3 year limited

Unfinished Wood Flush Panels ENLARGED TO SHOW DETAIL

(Requires Primer, Paint or Stain)



Raw Hardboard



Primed Hardboard



Primed Textured



Natural Birch



Uniform Light Birch



Select White Birch





Painted Primed Hardboard Door and Schlage Orbit Knob with Greyson Rose in Satin Nickel


MASONITE.



Custom Stain Rotary Mahogany Slab



Unfinished Wood Flush Panels ENLARGED TO SHOW DETAIL

(Requires Primer, Paint or Stain)



Natural Maple



Select White Maple



Flat Sliced White Oak



Flat Sliced Red Oak



Rift Cut Red Oak



Rift Cut White Oak



Rotary Mahogany

Factory Prefinished Flush Panels ENLARGED TO SHOW DETAIL

(No Finishing Required)



Driftwood Oak



Marquis Oak



Strand Oak



Albany Maple



Newport Cherry

BARN TRACK HARDWARE

Solid Flat Bar Hardware Kits \$

Hangers	Straight Strap, Top of Door Strap, or Bent Strap
Application	1-3/8" wood door; maximum weight 150 lbs per door
Track	78-3/4" trimmable flat track; 1-9/16" height
Opening	Up to 36" wide; multiple tracks required for wider openings
Finishes	Stainless Steel, Matte Black, Bronze
Contents	Flat track, 5 wall spacers, 2 hangers, 2 anti-jump discs, high density plastic wheels, floor guides, anchors, bolts/screws
Options	Joiner kit includes hex key and 4 heavy-duty matching screws, for double door barn track application requiring 2 track lengths <i>Optional 96" trimmable track available (special order)</i>



Straight Strap
BD100K-07800



Top of Door Strap
BD101K-07800



Bent Strap
BD102K-07800



Joiner Kit
BD125-MB (Matte Black)
BD125-SS (Stainless Steel)

Hollow Round Bar Hardware Kits \$\$

Hangers	Equipped with anti-rise pin; 3-13/16" to 5-3/16" heights
Application	1-3/4" wood*; maximum weight 198 lbs per door
Track	304 Stainless Steel track with end caps; hangers with nylon coated rollers; specify length (78" or 98")
Opening	Up to 36" wide; multiple tracks required for wider openings
Finishes	Brushed or Polished Stainless Steel, Black or Satin Bronze Powder Coated
Contents	Solid stainless steel track with end caps, 2 hangers, wall brackets, 1 bottom door guide, 2 track stops, mounting and installation hardware



W60 Top Mount
4-3/8" height; up to 176 lbs.



W100 Strap Mount
3-13/16" height; up to 198 lbs.

Solid Round Bar Hardware Kits \$\$\$

Hangers	Top Mount, Strap Mount, or Face Mount
Application	Wood*; up to 350 lbs per door
Capacity	2 hangers - 350 lbs; 3 hangers - 450 lbs; 4 hangers - 600 lbs
Track	Solid 1" diameter round bar; specify length with order
Finishes	Polished #304 Satin Stainless Steel, or Matte Black
Contents	Bar track, wall mount brackets, 2 hangers per door, 2 shock-absorbing compression stops, aluminum guides
Optional	Alternate heavy duty and wall mount guides



Top Mount: 1-3/8" Doors
CRT-101 Hanger



Strap Mount: 1-3/4" Doors
CRT-102 Hanger

*Available for glass mount. Contact Madero for details.



Painted Riverside 5-Panel Equal on Acme Barn Track with Straight Strap Hangers in Bronze, and Rockwood SoftMet 16" Offset Pull



Madero 3-1/2" x 3" Ball Bearing Reversible Hinge in Oil Rubbed Bronze

HINGE OPTIONS

Madero Door Hinges

3-1/2" x 3" ball bearing reversible hinges are typically used for standard 1-3/8" door slab.



Reversible



1/4" Radius

Door hinges look best when matched to your chosen locksets. Choose from our finish options to achieve a custom look.


Finishes:

C-2G Zinc Plated	C-15 Satin Nickel	C-32D Stainless Steel
C-4 Brushed Brass	C-15A/C-17A Antique Nickel	C-1D Matte Black
C-10B Oil Rubbed Bronze	C-26D Brushed Chrome	

REQUIREMENTS:



3 hinges for 6/8 door



4 hinges for 8/0 door

Architecturally Designed Hinges


Standard 1-3/4" doors require 4-1/2" ball bearing hinges, or choose from architectural, decorative or concealed.



Ball Bearing \$
Sample shown: C-26D
4-1/2"x4"
Brushed Chrome



Architectural \$\$
Sample shown: 3CBI
3 Knuckle, Concealed
Bearing Full Mortise Hinge



Decorative/Custom \$\$\$
Sample shown: Square Barrel
2 Knuckle, Concealed Bearing Hinge



Concealed \$\$\$
Sample shown: TECTUS 340 3D
German-Made Adjustable
Concealed Hinge System



Simonswerk Concealed Tectus Hinge in Stainless Steel

WOOD FRAME OPTIONS

Madero Jamb Packs

Choose from primed MDF or matching wood veneer, ready to paint or stain. Madero's jamb packs ship complete with flat jamb or rabbeted jamb, door stop (flat jamb only), machined jamb, and three 3-1/2" ball bearing hinges on handed jamb packs. Reversible jamb packs include plain bearing reversible hinges.

- Bullnose or Colonial stop available
- Jamb packs are available left or right handed, or reversible



Custom Frames

Choose from primed or matching wood veneer, ready to paint or stain. Available for 1-3/8" or 1-3/4" doors; jamb depths to accommodate wall thickness.



FIRE RATED FRAME OPTIONS

Madero offers the best in door components for the ultimate finished look. Choose a matching frame to complement your new door, made of primed finger joint pine, smooth white or textured woodgrain composite, or galvanized steel.

When safety standards are a priority, choose fire rated doors and frames. Madero's interior door product line features the standard 20 minute Warnock Hersey fire rating, with optional 45, 60, and 90 minute ratings available. These materials can withstand extreme temperatures and keep what's inside safe.



20 Minute Fire Rated Finger joint Pine Frame (primed)

Primed, kiln-dried fingerjointed pine frames provide beauty and strength with a Warnock Hersey certified 20 minute fire rating. They are suitable for interior or exterior use when painted or stained.

- Available up to 8-7/8" jamb depth
- Available with or without kerf application



20 Minute Fire Rated Composite Frame

Madero's unique composite jamb product offers built-in advantages that are unmatched in the door industry. Our maintenance-free product means less work for you and longer life for the entry unit. Composite frames are very strong, with superior screw holding power and a tough exterior finish. Available in both smooth white and textured woodgrain finishes, these frames are designed to coordinate with any color and style of door.

- Available in 4-9/16", 6-9/16" or 8-9/16" jamb depths only
- Prefinished Smooth White can be painted
- Textured Woodgrain requires stain or paint



DAYBAR

90 Minute Fire Rated Steel Frame

Steel frames provide additional security as they are strong and durable, with a Warnock Hersey certified 90 minute fire rating. They are suitable for a variety of applications including welded, expandable and drywall anchored frames. Galvanized steel frames will accept paint, and require minimal maintenance.



Painted Berkley 6-Panel Equal with 1 Vertical Panel

While Madero makes every effort to ensure the information contained in this brochure is accurate, we do not accept liability for any inaccuracies. This brochure is subject to change, as well as errors and omissions, without notice. We are provided unfinished/unstained and without hardware unless otherwise noted. All photos are for illustration purposes only and depicted doors and frames may not represent Madero products.



Art of the Door.

Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Entry Series



Designer Entry Series



B&W Designer Entry Series



Modern



Artisan Collection



Garden Patio Series



Commercial



Interior (e-version only)

Calgary

T 1.866.664.7664 • F 1.403.204.7665

Saskatoon

T 1.800.667.6977 • F 1.306.934.7644

Winnipeg

T 1.855.706.0200 • F 1.204.594.0201

Visit us at:

www.madero.ca

Brochure design by

