

STORM DOORS



home

[we make front doors better]



www.LARSONdoors.com



Adding a LARSON® storm door improves energy efficiency of the entryway by up to 80%, reduces maintenance needs, and helps the entry door perform better.

Storm Doors for Every Home

LARSON® storm doors are available in styles and ventilating options to make your home more comfortable. Choose from Screen Away® retractable screens that disappear when not in use or convenient built-in screen options.

Consider Low-E

Several storm doors are available with Low-E glass. Low-E (low emissivity) glass contains an extremely durable coating that minimizes the amount of infrared energy that passes through without compromising the amount of visible light that shines in. Low-E glass reduces interior fading and has a dramatic impact on the comfort of your home.

The Low-E Advantage



Keep rooms warmer in the winter by minimizing heat loss.



Keep rooms cooler in the summer by reflecting the sun's heat.



U.S. Department of Energy recommends Low-E to improve energy efficiency.

Protection

Storm doors protect your entry door and provide an additional layer of security between your home and unwelcome guests.

Installation

The EasyHang® installation system requires no cutting and includes one-step hanging with pre-drilled placement holes, adjustable height for an exact fit, and Reversa-Hinge for right or left mounting. The easy-to-follow instructions keep it simple.



Learn more

Visit us at LARSONdoors.com for a comprehensive list of products available to make your home more comfortable.



Seasonal Venting

Our beautiful fullview storm doors include an interchangeable screen for seasonal ventilation.

Elegant XTR
Low-E 159FVE
Clear 159FV

Low-E 149FVE
Clear 149FV

Pet Door
149PV
Screen not available

Double Bevel
149BV

Elegant Bevel
149EBV

White Almond Sandstone Brown Black Cranberry Green

Choose Your Handle

Matching handles inside and out with built-in deadbolt. Uniquely designed for doors with LARSON® QuickFit locksets.

Curved Straight

Brushed Nickel Aged Bronze Antique Brass Brass

Matte Black White Brown Sandstone

Finishes vary by style

Elegant Selection™	MODEL	STANDARD SIZE	CUSTOM
159 Series with Hidden Closer	159FVE Low-E	32" x 81" 36" x 81"	✓
	159FV Clear		✓
149 Series with 2-closer system	149FVE Low-E		✓
	149FV Clear**		✓
	149PV Pet Door		
	149BV Double Bevel		
	149EBV Elegant Bevel	36" x 81"	

** Fullview Clear also available in 30" & 34" widths, white only

ELEGANT XTR FEATURE UPGRADES 159 Models




Innovation
Built-in closer with ClicknHold™ keeps the door open

BetterVue®
screen with up to 20% improved clarity, light, and increased airflow

STANDARD FEATURES



Low-E Glass
reduces fading, improves insulation, and makes your home more comfortable



Ventilation
Window and screen interchange for seasonal venting



Durability
Premium frame construction with 1 5/8" thick aluminum



Protection
Overlapping frame and two closers provide a tight seal



Convenience
Hold-open closer keeps the door open with a touch of a button
149 models



Finish
Installation screw covers conceal exterior screws

Vent any time!

Our best selling disappearing retractable screen doors offer the beauty of a clear view with convenient ventilation.




EasyVent **XTR** Low-E 146FVE Pet Door 146PV Midview 146MV Highview 146HV Bevel 146BV
 Low-E 156FVE Clear 146FV Clear 156FV



Choose Your Handle

Matching handles inside and out with built-in deadbolt. Uniquely designed for doors with LARSON® QuickFit locksets.

QuickFit™
HANDLE SET



EasyVent® Selection	MODEL	STANDARD SIZE	CUSTOM
156 Series with Hidden Closer	156FVE Low-E	32" x 81" 36" x 81"	✓
	156FV Clear		✓
146 Series with 2-closer system	146FVE Low-E**		✓
	146FV Clear***		✓
	146PV Pet Door		
	146MV Midview***		
	146HV Highview		
	146BV Bevel		

** Fullview Low-E (146FVE) also available in 34" widths, white only
 *** Fullview Clear & Midview (146FV, 146MV) also available in 34" widths, white, sandstone only



EASYVENT XTR FEATURE UPGRADES 156 Models



Innovation
Built-in closer with ClicknHold™ keeps the door open



Retractable Screen
Provides improved strength, better insect protection, enhanced solar protection and privacy

STANDARD FEATURES



Low-E Glass
Reduces fading, improves insulation, and makes your home more comfortable



Ventilation
Convenient retractable screen provides any time venting



Durability
Premium frame construction with 1 7/8" thick aluminum



Protection
Overlapping frame and two closers provide a tight seal



Convenience
Hold-open closer keeps the door open with a touch of a button



Finish
Installation screw covers conceal exterior screws

146 models

Your Pet Door Headquarters!

Adding a pet door just got easier. We designed a wide selection of storm doors that feature a factory-installed pet door. Guaranteed to keep your pet happy and make your life easier. The inside pet door security panel keeps intruders out.



**Elegant Selection™
Fullview Pet Door
149PV**
8W x 12H Opening
Fits pets up to 40 lbs.
Handle sold separately




**EasyVent® Selection
Retractable Screen
Pet Door
146PV**
8W x 12H Opening
Fits pets up to 40 lbs.
Handle sold separately



**Pet View
360-79**
10W x 17H Opening
Fits pets up to 100 lbs.



**Pet Door
370-79**
10W x 17H Opening
Fits pets up to 100 lbs.



**Pet Door LX
370-78**
14W x 23H Opening
Fits pets up to 220 lbs.




MODEL	SIZE	CUSTOM	COLORS
Fullview 149PV	32" x 81" 36" x 81"		All colors
Retractable Screen 146PV			
Pet View 360-79			White, Brown
Pet Door 370-79		✓	White, Almond
Pet Door 370-78		✓	





3-point locking system secures door in three places

Secure Elegance®
You'll know this door is secure by the quality features built in, like engineered glass with a security inner layer, UV protection, and multi-point locking. It is backed by a \$1000 break-in protection warranty.



Secure Elegance
349-17
349-15
349-20



Bottom Vent
360-NV

Double Bevel
350-14
350-13

Clear
350-17
350-04

Wood Core
274-FL

Bring natural light into your home to let kids and pets see out. These durable aluminum and wood core doors are available with a bottom vent panel or interchangeable glass and screen. Handle styles and finishes vary by model.



MODEL	SIZE	CUSTOM	COLOR
349-17 Brushed Nickel	32" x 81" 36" x 81"	✓	All Colors
349-15 Aged Bronze			
349-20 Brass			



MODEL	SIZE	CUSTOM	COLOR
360-NV	32" x 81" 36" x 81"		White, Sandstone, Brown
350-14 Brushed Nickel 350-13 Brass	32" x 81" 36" x 81"		White, Almond, Sandstone, Brown, Black
350-17 Brushed Nickel 350-04 Brass	32" x 81" 36" x 81"	✓	White, Almond, Sandstone, Brown, Black
274-FL	32" x 81" 36" x 81"	✓	White, Almond, Sandstone, Brown



The Convenience of Screen Away®

Our top performing wood core retractable screen storm doors include features like magnetic weatherstrip that seals tight like a refrigerator for increased energy efficiency. Most doors include your choice of handle finish.



370-81



830-82
830-85
830-80




691-52
691-55
691-90



356-52
356-60

Durable Aluminum Frame

1-3/8" thick frame is maintenance free and includes heavy-duty weatherstrip. Includes designer screw covers that conceal exterior screws. Available with a brushed nickel or brass lever.



MODEL	SIZE	CUSTOM	COLOR
370-81 Color-Match Lever	32" x 81" 36" x 81" 30" x 81"		White, Almond
830-82 Brushed Nickel 830-85 Aged Bronze 830-80 Brass	32" x 81" 36" x 81" 34" x 81"	✓	White, Almond, Sandstone, Brown
691-52 Brushed Nickel 691-55 Aged Bronze 691-90 Brass	32" x 81" 36" x 81"	✓	White, Sandstone, Brown
356-52 Brushed Nickel 356-60 Brass	32" x 81" 36" x 81"		White

Top or Bottom Venting

Storm doors at a great value. Choose from all-metal frame construction or a tough, weather-resistant DuraTech® surface. Reversa Screen provides for top or bottom venting.



ALL-METAL FRAME



Pet Door
360-79



Lever Handle
360-16 Midview
360-18 Highview



Push Button Handle
660-16 Midview
660-18 Highview

ALUMINUM



Security
3320-17 Br. Nickel
3320-07 Brass

WOOD CORE



DuraTech
370-50



DuraTech
237-17 Br. Nickel MV
237-07 Brass MV
233-17 Br. Nickel HV
233-07 Brass HV



MODEL	SIZE	CUSTOM	COLOR
360-79 Pet Door	32" x 81" 36" x 81"		White, Brown
360-16, 660-16*			White, Brown
360-18, 660-18			White, Brown
3320-17 Brushed Nickel 3320-07 Brass			White, Black
370-50**			White, Brown
23717 Brushed Nickel 23707 Brass		✓	White, Almond, Sandstone, Brown
23317 Brushed Nickel 23307 Brass			White, Almond, Sandstone, Brown

* 360-16, 660-16 available in 30" width (White, Brown), 34" width (White only)

** 370-50 available in 30" & 34" width






Built to Perform

These insulating storm doors feature a solid core with a weather-resistant DuraTech®, durable aluminum or vinyl surface.

Choose from two traditional venting options: multi-vent with full screen or bottom vent screen.



Single-Vent Pet Door
 DuraTech
 370-79
 370-78 XL
Multi-Vent DuraTech
 271-TT
Multi-Vent DuraTech
 830-01
Multi-Vent DuraTech
 830-46
Single-Vent DuraTech
 830-14



Single-Vent DuraTech
 278-SS
Single-Vent 288-SS Aluminum
 298-SS Vinyl
Single-Vent 283-ST Aluminum
 293-ST Vinyl
Single-Vent 286-SX
Single-Vent 380-05
 Mobile Home Door




MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
370-79 Regular Flap 370-78 XL Flap	32" x 81" 36" x 81"		✓	White, Almond
271-TT Multi-Vent		30" x 81" 34" x 81" 36" x 85" <small>White only</small>	✓	White, Almond, Sandstone, Brown
830-01 Multi-Vent 830-46 Multi-Vent				White, Brown
830-14 Single-Vent			✓	White, Brown

MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
278-SS DuraTech	32" x 81" 36" x 81"	30" x 81" 34" x 81" 32" x 85" 36" x 85" <small>White only</small>	✓	White, Almond, Sandstone, Brown
288-SS Aluminum		30" x 81" 34" x 81"		White, Brown
298-SS Vinyl		30" x 81" 34" x 81"		White
283-ST Aluminum 286-SX		30" x 81"		White, Brown
293-ST Vinyl				White
380-05* Mobile Home Door	32" x 75" 30" x 75"			White

* 380-05 additional sizes available



This is no ordinary screen door! It is built to withstand up to 300 lbs. of static force and includes handle, closer, and hinges.



Screen Door 360-48



SecurePRO™

Our 3-in-1 storm door features a durable aluminum frame, multi-point locking and a stainless steel screen that is resistant to cuts and tears.

SecurePRO 956-MV



MODEL	SIZE	CUSTOM	COLOR
360-48 Screen Door	32" x 81" 36" x 81"	✓	White, Brown
956-82 Brushed Nickel 956-80 Brass		✓	White, Black

MEASURE YOUR OPENING


Mark measurements and bring them to any LARSON® retailer.

A
width

B
width

C
width

D
height



NOTE: 1" wide by 1" deep mounting surface is recommended to properly install a LARSON Storm Door.

Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29 7/8" to 30 3/8"	80" to 81"
32" x 81"	31 7/8" to 32 3/8"	
34" x 81"	33 7/8" to 34 3/8"	
36" x 81"	35 7/8" to 36 3/8"	



Size availability varies by model.

CUSTOM SIZES available in select models.

Most LARSON doors can be mounted with left or right hinging.





Habitat
for Humanity®

Proud cornerstone partner with
Habitat for Humanity International.

™ Trademark, LARSON Manufacturing Company, Brookings, SD, U.S.A. © 2019
Larson Manufacturing Company. Printed in the U.S.A. LARSON reserves the right
to alter or discontinue any model, specification, warranty or price without notice.
Door colors shown are approximate; actual color may vary. 09502100

www.LARSONdoors.com